

ST. JOHN'S NATIONAL ACADEMY OF HEALTH SCIENCES ST. JOHN'S MEDICAL COLLEGE HOSPITAL

Sarjapur Road,

Bangalore-560 034, India. Tel: +91 80 2206 5000

+91 80 2553 0724

Fax: +91 80 2553 0070

Email: simchadmin.office@stjohns.in

www.stjohns.in

25.01.2019

SJMCH/ADM/ 18-19 / 2918

To,

Karnataka state Pollution Control Board.

Regional office Bangalore City,

Nisagra Bhavan, 1st floor,

7th "D" Main Road,

Bangalore - 560010.

Kind Attention: Environment Officer.

Dear Sir,

SUB: SUBMISSION OF FORM IV (ANNUAL REPORT)

Enclosed please find form IV for Bio-Medical Waste generated with respect to St. Johns Medical College & Hospital for the Year 01.01.2018 to 31.12.2018 (for Bio-Medical waste).

Yours Sincerely

Associate Director



Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	THE ASSOCIATE DIRECTOR
1.	(i) Name of the authorised person (occupier or operator of facility)	:	REV. FR. PRADEEP KUMAR SAMOD ST. JOHN'S MEDICAL COLLEGE HOSPITAL
	(ii) Name of HCF or CBMWTF		
	(iii) Address for Correspondence		SARJABUR ROAD, BENGALURU-560034.
	(iv) Address of Facility		
	(v)Tel. No, Fax. No	:	080-22065301; 080-25530070
	(vi) E-mail ID	:	simchadmin. office a stjohns in
	(vii) URL of Website		NWW. Stjohns.in
	(viii) GPS coordinates of HCF or CBMWTF		-
	(ix) Ownership of HCF or CBMWTF		(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: KSPCB 1115 BMW 2018 Rig No. 150616 08-09: 2018 valid up to 20.06: 2021
	(xi). Status of Consents under Water Act and Air Act AW - 305801, PCB ID: 29081	t:	Valid up to: 30 06 2021
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 1720 (1020+700)
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		5023151317190594874; 31/03/19
3.	Details of CBMWTF	:	_
	(i) Number healthcare facilities covered b	у:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	•	Kg per day
	(iv) Quantity of biomedical waste treated or dispose by CBMWTF	rd:	Kg/day

Quantity of waste generated or disposed in Kg per: Yellow Category : 1,60,822.9kg annum (on monthly average basis) Red Category : 1,73,945.9 kg. White: 8057.9 Kg ENCLOSED MARIDI COPY -Blue Category: 35,041.75 kg MONTHLY BASIS General Solid waste: 1723.7 kg Details of the Storage, treatment, transportation, processing and Disposal Facility (i) Details of the on-site storage Size acility Capacity: Provision of on-site storage : (cold storage or any other provision)

(ii) Details of the treatment or :

disposal facilities		Type of treatment	No	Сар	Ougatita
	25-	equipment	of	acit	Quantity
		equipment	unit s		treatedo
			units	У	r
					isposed c
				in kg	
					per
	-	Incinerators			annum
	- A	Plasma Pyrolysis Autoclaves		_	
•		Microwave			
		Hydroclave Shredder			
				-	
		Needle tip cutter or destroyer			•
		Sharps encapsulation			_
		or concrete pit			
		Deep burial pits:			
		Chemical			_
		disinfection:			
		Any other treatment		/	
		equipment:			
(iii) Quantity of recyclable wastes sold	:	Red Category (like plastic	, glass	etc.)	
to authorized recyclers after treatment in kg per annum.		- NA -			
(iv) No of vehicles used for collection and transportation of biomedical waste	:	_ NA -			

management committee? If yes, attach minutes of the meetings held during the reporting period Details trainings conducted on BMW (i) Number of trainings conducted on BMW (ii) Number of personnel trained (iii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during the year (i) Number of Accidents occurred (iii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed			11.7	
Waste Treatment Facility Operator through which wastes are disposed of (vii) List of member HCF not handed over bio-medical waste. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management. (ii) number of personnel trained the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during the year (ii) Number of Accidents occurred (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Diagraphic Liquid waste generated and treatment methods in place. How many times you		sludge generated and disposed during the treatment of wastes in Kg per		-NA - generated disposed Incineration Ash
over bio-medical waste. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management. (ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during the year (i) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Diaguid waste generated and treatment methods in place. How many times you		Waste Treatment Facility Operator	÷	MARIDI ECO INDUSTRIES PUT LID.
management committee? If yes, attach minutes of the meetings held during the reporting period Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management. (ii) number of personnel trained ### CARE MDRKERS. (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during the year (ii) Number of Accidents occurred (iii) Number of Accidents occurred (iii) Number of the persons affected (iiii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you				NA.
(i) Number of trainings conducted on BMW Management. (ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Diquid waste generated and treatment methods in place. How many times you	5	management committee? If yes, attach minutes of the meetings held during the		YES
BMW Management. (ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during. the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you HEALTH CARE MORKERS. HEALTH CARE MORKERS. APEN NEW RECRUITER OF HEALTH CARE MORKERS. Solve AFTER INJURY FEND NEW RECRUITER OF HEALTH CARE MORKERS. Solve AFTER INJURY FORM OF ACCIDENT O	7	Details trainings conducted on BMW		
(ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during the year (i) Number of Accidents occurred (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you HENTIRE ACADEMY OF STO				
(iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during. the year (i) Number of Accidents occurred (iii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you FEW NEW RECRUITER OF HEALTH CARE MORKERS. STICK INJURY HEALTH CARE MORKERS. SOUN AFTER INJURY PERSONATAKEN CARE		(ii) number of personnel trained		
undergone any training so far (v) whether standard manual for training is available? (vi) any other information) Details of the accident occurred during, the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you Health Care Morkers. NEEDLES STICK INJURY SOUN AFTER MONTH. HOALTH CARE MORKERS.				
is available? (vi) any other information) Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you NES: NEEDLES STICK INJURY NEEDLES STICK INJUR				
Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you NEEDLES STICK INJURY SPLAST INJURY LIQUIC CARE MORKERS SOON AFTER INJURY PERSON TAKEN CARE CARE Liquid waste generated and treatment methods in place. How many times you				YES.
(i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you 13 PER MONTH. Health Care Norkers. Soon After Enjury Person Care Taken Care Liquid waste generated of air Pollution from the incinerator? How many times in last year could not met the standards? Liquid waste generated and treatment methods in place. How many times you				_
(i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you 13 PER MONTH. Health Care Norkers. Soon After Enjury Person Care Taken Care Liquid waste generated of air Pollution from the incinerator? How many times in last year could not met the standards? Liquid waste generated and treatment methods in place. How many times you				NEEDLES STICK INJURY, SPLAST INJURY.
(iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you SOON AFTER TNJURY PERSONATION TO THE SOON TO T				13 PER MONTH.
details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you				
Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you		details if any)		
Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you		, , ,		
monitoring systems installed Liquid waste generated and treatment methods in place. How many times you	•	Pollution from the incinerator? How many times in last year could not met		
methods in place. How many times you		I am a management of the contract of the contr		
	10	methods in place. How many times you		N/L.

1 18	the disinfection method or	MCGTING THE ING A GTAIN
steril	ization meeting the log 4	MEETING THE LOG A STANI
	ards? How many times you have	N/L.
not n	net the standards in a year?	
Any	other relevant information	(Air Pollution Control Devices attached with the
		Incinerator)
ertified t	hat the above report is for the period	from
A COLOR	JAN 2018	TO DEC 2018
*0**		
		1 1) -
		() sup
		Name and Signature of the Head of the Institution
ate:	,	
lace		
illee		
		FORM -V
		(0. 1.10)
		(See rule 16)
	Application for filing appeal again	inst order passed by the prescribed authority
	Name and address of the person app	olying for appeal:
		f the authority which passed the order, against which appeal
	is being made (certified copy of ord	er to be attached):
	Ground an which the appeal is being	a mada
	Ground on which the appeal is being	g made.
	List of enclosures other than the ord	er referred in para 2 against which appeal is being filed:
	,	P. Santa and P. Sa
	•	Signature
		Name and Address

(Bishwanath Sinha) Joint secretary to the Government of India

[F. No. 3-1/2000-HSMD]



CERTIFICATE OF TREATMENT

Date: 22.01.2019

To M/s. St. Johns Medical College Hospital Koramangala Bengaluru

Dear Sir/Madam,

This is to inform you that, we have collected following quantity of Bio-Medical Waste from your Hospital and the same has been treated and disposed as per K.S.P.C.B. guidelines.

Average Waste collected from your hospital January-18 to December-2018

SL. No.	Months	Yellow (in kgs)	Red (in Kgs)	Cytotoxic (in kgs)	Blue (in Kgs)	Sharp CANTAINER
1.	January	13,446kg	14,287kg	192kg	2853kg	364cans
2.	February	11,811kg	12,769kg	166kg	2605kg	275cans
3.	March	13,020kg	14,015kg	188kg	3204kg	319cans
4.	April	13,752kg	14,523kg	227kg	3171kg	300cans
5.	May	14,179kg	14,885kg	153kg	3192kg	354cans
6.	June	13,739.450k/g	14,452kg	167.150k/g	2855kg	328cans
7.	July	14,662.400k/g	15,177kg	171kg	3094kg	352cans
8.	August	14,693.875k/g	14,937kg	124kg	2796kg	356cans
9.	September	12,233.650k/g	13,928.150k/g	136.950k/g	2415.700k/g	1188.050k/g
10.	October	13,705.250k/g	15,393.450k/g	76kg	3141450k/g	1502kg
11.	November	12,786.800k/g	14,580.050k/g	39.900k/g	2677.800k/g	1373.400k/g
12.	December	12,853.550k/g	14,999.250k/g	82.700k/g	3036.800k/g	1346.500k/g
	Grand Total	1,60,882.975kg	1,73,945.900kg	1723.700kg	35,041.750kg	8057.950k/g

This is for your kind information.

Thanking you,

Yours truly,

For Maridi Eco Industries Pvt Ltd

Authorized Sig